CUMULATIVE INDEX 1998

Volume 16

February	CONTEMPORARY ISSUES IN TRAUMA, pages 1–279
May	EMERGENCY MANAGEMENT OF CARDIAC ARRHYTHMIAS, pages 281–494
August	SELECTED TOPICS IN EMERGENCY CARDIAC CARE, pages 495–687
November	DIFFICULT DIAGNOSES, pages 689–945

Note: Page numbers of issue and article titles are in **boldface** type

Abciximab, in acute myocardial infarction, 568
Abdomen, evaluation of, after blunt trauma, 166–168
  exploration of, in thoracoabdominal trauma, 110–113
  injury(ies) of, associated with penetrating thoracic trauma, 108–110
    in geriatric patient, in Emergency Department, 266–267
  of child, anatomy of, 252
  pain in. See *Abdominal pain.*
  trauma to, in children, epidemiology of, 251–252
    evaluation of, 252
    management of, 252–254
Abdominal pain, anatomy of, 878–880
  chronic intermittent, 884
  chronic intractable, 885
  chronic recurrent, **877–894**
    diagnostic testing in, 885–886
    differential diagnosis of, 883–885
    disposition and treatment considerations in, 886–892
    historical considerations in, 880–881
    physical examination in, 881–883
  chronic unrelenting, 884
Accelerated idioventricular rhythm, 356, 585
Age-related physiologic and chemical changes, 271
Aging, normal physiologic changes of, 704–705
Airway, considerations of, in major trauma to child, 231–232
  difficult, in trauma patient, assessment of, 45–50
    management of, **45–61**
    planning approach to, 47, 50–52
    techniques for management of, 52–55
  failed, definition of, 55–56
    rescue techniques in, 56–59
  management of, during cervical spine immobilization, 48–49
    in anterior neck trauma, 49
    in head trauma, 49–50
    in hemodynamic compromise in trauma patient, 50
    in multiple trauma patient, 30–31
    in penetrating neck trauma, 96–98
  prehospital management of, 9–10
  surgical, management of, in failed airway, 58–59
Alcoholism, immunosuppression in, 775
Alteplase, in acute myocardial infarction, 566
Amidarone, baseline measurements in patients receiving, 640
  drug interactions with, 637–638, 639
  in ventricular arrhythmias, 634–635
  prophylactic, after myocardial infarction, 635–637
  side effects of, 637, 638
Aminophylline, in bradyarrhythmias, 378
Angiography, vs. color flow Doppler imaging, in penetrating trauma to neck, 100–101

Angioplasty, coronary artery, in acute myocardial infarction, 553
direct, in acute myocardial infarction, 570–573, 575–576
percutaneous transluminal coronary, rescue, in acute myocardial infarction, 569–570
Angiotensin-converting enzyme (ACE) inhibitors, in acute myocardial infarction, 557
Anisoylated plasminogen SK activator complex, in acute myocardial infarction, 551, 566
Antiarrhythmics, in acute myocardial infarction, 558
in ventricular arrhythmias, 633–634
Antibiotic therapy, empiric, in emergency department, 766–767
Anticoagulation, in atrial fibrillation, 397–398
Anticoagulation agents, in acute myocardial infarction, 556–557
Anticonvulsants, in head injury, 70, 75
Antimetabolites, in head injury, 75–76
Aorta, injury to, transesophageal echocardiography in, 202–204
Aortic dissection, 718–719, 720
Arrhythmia(s), and chest pain, management of, in emergency department, **281–489**
associated with drug toxicity, **405–417**
cardiac, and conduction disturbances, basic mechanisms for, 584
syncope in, 603–604
in thrombolysis in acute myocardial infarction, **583–600**
reperfusion, 597
ventricular, 584–587
in elderly, **627–648**
determinants of, 628
prevalence of, 627–628
prognostic significance of, and stratification of patients, 629–633
sodium channel blockade in, 405–406
therapeutic options in, 633–638
Arterial dissection, extracranial, 748–749
Arteritis, giant cell, 840–841
temporal, 754–755
Artery(ies), central retinal, occlusion of, 836–838
coronary. See *Coronary artery(ies).*
injuries to, management of, following trauma, 136–138
Arthritis, rheumatoid, 726
juvenile, 923
septic, 920–921, 924
Aspirin, in acute myocardial infarction, 554, 568
Asplenic patients, infection in, 774
Asystole, 596
Athlete(s), mature, sudden cardiac death in, 282–283
sudden cardiac death in, **281–294**
role of emergency physician in, 291–292
young, sudden cardiac death in, 282
Athletic heart syndrome, sudden cardiac death and, 290
Atrial contractions, premature, 588
Atrial fibrillation, 589–590
anticoagulation in, 397–398
approaches to, in Emergency Department, 393–398
cardioversion in, 394–397
evaluation and management of, in Emergency Department, **389–403**
heart rate control in, intravenous drugs for, 393–394
in Wolff-Parkinson-White syndrome, 321
lone, 398
rate control in, 393–397
recognition of, in Emergency Department, 389–393
treatment of, in Emergency Department, specific strategies for, 398–401
with moderate ventricular rate, 400–401
with rapid ventricular rate, 399–400
with slow ventricular rate, 401
Atrial flutter, 589
Atrial stunning, 397
Atrial tachycardia(s). See *Tachycardia(s), atrial.*
Atrioventricular block, atrial tachycardia and, 317
clinical approach to, 384–386
first-degree, 372–373, 591–592
second-degree, 592–593
second-degree Mobitz type I, 373
second-degree Mobitz type II, 374–375
third-degree, 375, 593–595
Atrioventricular nodal reentrant tachycardia, 302–303
Atrioventricular reciprocating tachycardia, 303–309, 310
Atropine, in atrioventricular blocks, 592, 593, 595
in bradyarrhythmias, 375–377
Awake intubation techniques, in management of difficult airway, 52

Ballistics, civilian gunshot wounds and, **17–28**
wound, 17
Beck's triad, 666
Bedside ultrasonography, in trauma care, **165–189**

Benign intracranial hypertension, 755–756
Beta-adrenergic blockers, in acute myocardial infarction, 555, 567
Beta blockers, arrhythmias caused by, 408–410
  in ventricular arrhythmias, 634
Bifascicular block, 595
Biopsies, in fever in immunocompromised patient, 766
Bladder, injuries to, hematuria in, 155–156
  management of, 159–161
Blood cultures, in endocarditis, 675–676
  in fever in immunocompromised patient, 765–766
Blood pressure, preoperative elevation of, evidence against, 5–6
Blood substitutes, resuscitation with, 6–8
Blood vessels, injuries to, in children, 250–251
Blunt head injury, prehospital care in, 11–12
Blunt trauma, abdominal evaluation after, 166–168
  evaluation of patient with, traumatic hematuria and, 147–154
  pediatric, traumatic hematuria in, 153–154
  to chest, transthoracic echocardiography in, 196–198
Bowel disease, inflammatory, 726
Bradyarrhythmias, 590
  agents causing, 407–414
  approach to patient with, 409
  clinical approach to, 384–386
  electrocardiographic diagnosis of, 372–375
  etiology and pathophysiology of, 361–371
  evaluation and management of, in Emergency Department, **361–388**
  treatment of, 375–383
Bradycardia, clinical approach to, 384
  definition of, 372, 373
  junctional, 591
  reflex-mediated, 367–368
  sinus, 372, 590–591
Bradycardia syndrome, ictal, 368–369
Brain, protection of, in head injury, 70–71
Brown-Sequard syndrome, 815–816
Bullard laryngoscope, in management of difficult airway, 53–55
Bullet, jacketed, 19
  yawing, 19

Calcium channel blockers, in acute myocardial infarction, 557, 567
  toxicity of, cardiac manifestations of, 410–411
Capital femoral epiphysis, slipped, 923–924, 925
Cardiac arrest(s), characteristics of, difference in, between age groups, 659–660
  in-hospital, cardiopulmonary resuscitation in, 650–654
  in nursing home, cardiopulmonary resuscitation in, 656–657
  out-of-hospital, cardiopulmonary resuscitation in, 654–656
  survivors of, functional status of, 657–659
Cardiac arrhythmias. See *Arrhythmia(s).*
Cardiac care, emergency, selected topics in, **495–681**
Cardiac death, sudden. See *Sudden cardiac death.*
Cardiac enzymes and biomarkers, 507–509
Cardiac events, future, in older patient, ventricular arrhythmias and, 630
  life-threatening, prevalence of, 498–499
Cardiac ischemia, acute, 495
    diagnosis and prognosis of, relationship of, 499–500
    electrocardiographic features of, 502–504
    history and physical examination factors in, 501–502
    predictive factors for complications or mortality in, 501–504
    statistical methods to assess, 500–501
Cardiac neoplasms, 725
Cardiac pacemaker. See *Pacemaker(s).*
Cardiac pacing, classification of, and common pacing modes, 425–432
  diaphragmatic, 445
  history of, 419–420
  indications and contraindications for, 423–425, 426
  modes, permanent, **419–462**
Cardiac rhythm, as cause of syncope in children, 621–623
Cardiac tamponade, echocardiographic features of, 194–196
  in children, 250
Cardiac troponin I (cTnI), 527–529
Cardiac troponin T (cTnT), 529
Cardiogenic shock, in acute myocardial infarction, 573–575
Cardiomyopathy, dilated, 729
  hypertrophic, 729–730
    sudden cardiac death and, 284–285
Cardiopulmonary resuscitation, implantable cardioverter defibrillators in, 483
  in cardiac arrest in nursing home, 656–657
  in elderly, **649–663**

Cardiopulmonary resuscitation *(Continued)*
in in-hospital cardiac arrest, 650–654
in out-of-hospital cardiac arrest, 654–656
Cardiopulmonary stabilization, in endocarditis, 676
Cardiovascular disease, ischemic, 363–366
nonischemic, 366
Cardiovascular toxins, sudden cardiac death and, 290
Cardioversion, in atrial fibrillation, 394–397
Cardioverter defibrillators, implantable, **463–489**
and driving, 485
and electrically hostile work site, 485
and electrocautery, 484–485
and magnetic resonance imaging, 484
and quality of life, 485–486
cardiopulmonary resuscitation in, 483
cellular telephones and, 485
defibrillation in, 483
description of, 464–472
first-generation, 466–467
follow-up of patients with, 478
frequent and recurrent discharges by, 480–482
historical development of, 463–464, 465, 466
household appliances and, 485
illness unrelated to, 486
indications for implantation of, 472–474, 475
inefficacy of, management in, 480
infection and, 483
interaction with magnet, 483–484
issues associated with, in emergency department, 480–486
noncommitted, 467–468, 470, 471
results of therapy with, 478–480
second-generation, 467–468, 469, 470
techniques for implantation of, 474–478
third-generation, 468–472
internal, in ventricular arrhythmias, 639–643
thoracotomy implantation of, 464, 474
transvenous subpectoral implantation of, 465, 474–478
Carnett's test, 883
Carotid sinus syndrome, hypersensitive, 367
Cauda equina and conus medullaris lesions, 819
Central cord syndrome, 815
Central nervous system, infection of, in cell-mediated immunity, 773
neuro-imaging of, in emergency, 746
Cerebral cortex, disorders of, 835–836
Cerebral protection, in head injury, 75
Cerebral venous thrombosis, 746–748
Cervical spine, immobilization of, airway management in, 48–49
injury to, in children, 242–246
epidemiology of, 243
evaluation of, 244–245
management of, 245–246
typical presentation of, 242–243
of child, anatomy of, 243
Chest, blunt trauma to, transthoracic echocardiography in, 196–198
injury to, of geriatric patient in emergency department, 265–266
penetrating trauma to, transthoracic echocardiography in, 198–200
trauma to, in children, mechanism of, 247
relevant anatomy and, 246–247
specific forms of, 247–251
Chest pain, and cardiac arrhythmias, management of, in emergency department, **281–489**
atypical, **717–740**
causes of, features of, 734–737
general approach to, 732–733
differential diagnosis of, 738
in emergency department, computer protocols in, 504–507
evaluation and risk stratification of patients with, **495–517**
risk stratification with echocardiography in, 511–513
Chest radiography, in fever in immunocompromised patient, 766
in pericarditis, 668
Child(ren), blunt trauma in, traumatic hematuria in, 153–154
cervical spine of, anatomy of, 243
injury of, 242–246
dizziness in. See *Dizziness, pediatric.*
head trauma in, 233–242
disposition in, 242
epidemiology of, 233–234
evaluation of child in, 236–238
management of child in, 240
patterns of, 238–240
relevant anatomy and, 234–236
limping. See *Limping child.*
major trauma to, airway considerations in, 231–232
epidemiology of, 230
evaluation and management of, **229–256**
initial assessment priorities in, 230
resuscitation efforts during surveys of, 232–233
pneumothorax in, 247–249
syncope in, **617–626**
thoracic trauma in, 246–251

Child abuse, limb pain in, 928
Circulation, assessment of, in multiple trauma patient, 31
establishment of, in penetrating neck trauma, 98
Circulatory arrest, trauma-associated, 10
Clonidine, toxicity to, cardiac symptoms of, 411–412
Colic, definition of, 905–906
diagnosis of, 906
etiology of, theories of, 906
intervention in, 907
spectrographic analysis of, 906
Colloids, resuscitation with, 6–8
Color flow Doppler, vs. angiography, in penetrating trauma to neck, 100–101
Coma, hypothermic/induced, in head injury, 70–71
Combitube, esophageal tracheal, in management of difficult airway, 58
Commodio cordis, in children, 250–251
sudden cardiac death and, 288
Compartment syndrome, in penetrating vascular trauma, 135, 139–141
Competition-enhancing agents, sudden cardiac death and, 288–289
Computed tomography, in blunt trauma of abdomen, 166–167
scanning, in multiple trauma patient, 34
in pediatric head-injured patient, 241
Concussion, 239
Conduction disturbances, as cause of syncope in children, 621–623
in acute myocardial infarction, pacing in, 594
Conduction system, anatomy of, 371–372
Congenital disorders, sudden cardiac death and, 290
Cornea, disorders of, 830–831
Coronary artery(ies), anomalies of, sudden cardiac death and, 286–287
disease of, atherosclerotic, sudden coronary death and, 285–286
spasm of, sudden cardiac death and, 286
tunneled, sudden cardiac death and, 287
Coronary artery angioplasty, in acute myocardial infarction, 553
Coronary artery bypass graft surgery, in ventricular arrhythmias, 639–643
Coronary artery disease, symptoms of, assessment of, 496, 497
Costochondritis, 731–732
Cricothyrotomy, in failed airway, 58–59
Cry research, 895–897
Crying infant, **895–910**
colic and, 905–907
cry research and, 895–897
differential diagnosis of, 901–903
disposition of, 904–905
evaluation of, history taking in, 897–898
laboratory tests for, 901, 904
physical examination in, 898–901
Cultural challenges, as challenges in emergency department, 695

Defibrillators, cardioverter. See *Cardioverter defibrillators.*
Delirium, 706
and dementia, differentiation of, 706–707
Dementia, 705–706
and delirium, differentiation of, 706–707
Diabetes mellitus, immunosuppression in, 775
Diagnoses, difficult, **689–929**
Diaphragm, hernia of, traumatic, in children, 250
injuries to, in thoracoabdominal trauma, 118–120
Difficult diagnoses, **689–929**
Digestive tract, injuries to, in penetrating neck trauma, 94–95
Digital intubation, in management of difficult airway, 57–58
Digoxin, for heart rate control, in atrial fibrillation, 394
mechanism of action of, 412
toxicity to, factors contributing to, 412–413
symptoms of, 413
treatment of, 413–414
Discitis, 922
Diving reflex, 368
Dizziness, **845–875**
diagnostic tests in, 869–870, 871–872
differential diagnosis of, 856–857
disposition in, 858, 870
history taking in, 846–849
laboratory tests in, 854–855
nonvertiginous, causes of, 868–869
pediatric, 858–869
differential diagnosis of, 863–864
disposition in, 873
history taking in, 859–860, 861
physical examination in, 860–863
physical examination in, 849–854
radiographic imaging in, 855–856
systematic approach to, 846–856
treatment of, 857–858, 873
Dressler's syndrome, 667
Drug abuse, endocarditis associated with, 673
intravenous, immunosuppression in, 775–776
myocarditis associated with, 671
Drug therapy, in emergency management of acute myocardial infarction, **541–563**, 567–568

Drug therapy *(Continued)*
in ventricular arrhythmias, 633–638
Drugs, causing syncope, 606, 623–624
Dyspepsia, functional (nonulcer), 889–892

Echocardiography, in endocarditis, 675
in myocarditis, 672
in pericarditis, 668
in syncope, 609
in thoracic trauma, **191–207**
risk stratification with, in chest pain, 511–513
transesophageal, 201–204
transthoracic, 194–201
in blunt trauma to chest, 196–198
in penetrating trauma to chest, 198–200
indications for, 196–201
two-dimensional, 192, 193
Elder abuse, 271–272
Elderly patient(s). See also *Geriatric patients.*
cardiopulmonary resuscitation in, **649–663**
ventricular arrhythmias in, **627–648**
with altered mental status, **701–715**
acute intervention for, 711–712
agitated, control of, 713
diagnostic tests for, 704
difficult diagnosis of, 704–712
emergency department course for, 712
evaluation of, 702–704
medical conditions in, 707–709
physical examination in, 702–704
polypharmacy and medication effects in, 709–710
psychiatric conditions in, 710
Electrocardiogram, in syncope, 609
Electrocardiography, in acute myocardial infarction, 519
in myocarditis, 671
in pericarditis, 667–668
signal-averaged, in ventricular arrhythmias, 632–633
Electrocautery, and implantable cardioverter defibrillators, 484–485
Electrophysiologic abnormalities, sudden cardiac death and, 288
Electrophysiologic studies, in ventricular arrhythmias, 632–633
Emergency cardiac care, selected topics in, **495–681**
Emergency department, challenges in, cultural challenges as, 695
emotional/effective disorders as, 694
social factors as, 694–695
vague complaints as, 693–694
chest pain in, evaluation and risk stratification of patients with, **495–517**
course in, for elderly patient with altred mental status, 712
environment of, 692–693
evaluation and management of atrial fibrillation in, **389–403**
evaluation and management of bradyarrhythmias in, **361–388**
evaluation of headache in, 743
geriatric patient in. See *Geriatric trauma patient(s), in emergency department.*
immunocompromised patient in, 767–776
issues associated with implantable cardioverter defibrillators and, 480–486
management of cardiac arrhythmias and chest pain in, **281–489**
testing with technetiuim-99m-labeled sestamibi in, 509–511
Emergency Medical Service, geriatric trauma and, 260–261
Emergency physician, role of, in endocarditis, 679
in sudden cardiac death in athlete, 291–292
Emotional/effective disorders, as challenges in emergency department, 694
Encephalitis, viral, acute, 749–751
Endocarditis, cardiac conditions associated with, 677, 679
clinical evaluation of, 673–674
diagnostic evaluation in, 675–676
emergency physician's role in, 679
incidence of, 673
mortality associated with, 672–673
pathophysiology of, 673
physical findings in, 674–675
prophylaxis, in dental procedures, indications for, 677, 679
surgical procedures requiring, 678, 679
prosthetic valve, 673
treatment of, 676–679
Enzymes, cardiac, and biomarkers, 507–509
Epididymitis, 802–804
Epilepsy, abdominal, 887
Esophageal perforation, 731
Esophageal tracheal Combitube, in management of difficult airway, 58
Excitotoxins, 64–65
Exercise testing, in syncope, 610
Extremities, injured, penetrating vascular trauma and, diagnosis and management of, **129–144**
Eyes, motility and alignment of, 828–830

FAST examination, 170–181

in clinical practice, 182–183
Femoral epiphysis, capital, slipped, 923–924, 925
Femur, in multiply injured patient, 36
Fever, in immunocompromised host, **761–779**
diagnostic tests in, 764–766
disposition in, 776
history and physical examination in, 763–764
Fiberoptic intubation, in management of difficult airway, 55
Firearms, ignorance about, and exaggeration of effects of, by news media, 24
ignorance about, and exaggeration of effects of, by entertainment industry, 23–24
Fistula testing, 854
Fluid resuscitation, in multiple trauma patient, 31–32
preoperative, complications of, 8
role of, in moribund patient, 6
Fractures, in child abuse, 928
Free radicals, 64

Gait, patterns of, abnormal, motor development and, 911–912
phases of, 911–912
Gentamicin, in endocarditis, 676, 678
Geriatric patients, categories of, 257
falls by, factors predisposing to, 258
immunosuppression in, 774–775
motor vehicle accidents and, 259
sites of injury in, 264–269
syncope in, causes of, 259
trauma in. See *Geriatric trauma patient(s).*
Geriatric trauma, **257–274**
emergency department evaluation following, 261–264
Emergency Medical Service and, 260–261
long-term outcome following, 270–271
mechanisms of, 258–260
mortality rates associated with, 269–270
by anatomic location, 270
prehospital evaluation in, 260
Geriatric trauma patient(s), in emergency department, abdominal injury in, 266–267
chest injury in, 265–266
evaluation of, 261–264
fluid administration in, 263–264
head injury in, 264–265
musculoskeletal injury in, 267–268
primary survey in, 261–262
skin and soft tissue injury in, 268–269
spinal injury in, 267
vital signs in, 262–263
Giant cell arteritis, 840–841
Glasgow coma scale, modified for pediatric patients, 238
Glaucoma, acute angle-closure, 751–752, 839–840
Glioblastoma multiforme, 752
Glucagon, in bradyarrhythmias, 378–379
mechanism of action of, 410
Granulocytopenia, 767–771
Guillain-Barre syndrome, 369
Gunshot wounds, attaining blood level of broad-spectrum penicillin in, 24–25
civilian, and ballistics, **17–28**
emergency care of, guidelines for, 24–26
high-velocity myth and, 18–23
penetrating trauma to neck in, 101–102

Head, injury to, emergency resuscitation in, 67–68
management of, clinical considerations in, 66–71
current trends in, **63–83**
recommendations for, in field, 71
in hospital, 71–76
technological advances and, 65–66
of geriatric patient in emergency department, 265–265
severe, treatments for, 77–79
trauma to, airway management in, 49–50
in children. See *Child(ren), head trauma in.*
in multiply injured patient, evaluation of, 35
Headache(s), differential diagnosis of, 741, 742
emergency department evaluation of, 743
history and physical examination in, 746
migraine, abdominal, 887
basilar artery, 867
secondary, 741–743
signs and symptoms of, 744–745
unusual, **741–760**
Heart, inflammatory disorders of, **665–681**
injury(ies) to, in children, 250–251
transesophageal echocardiography in, 201–202
structural abnormalities of, as cause of syncope in children, 621
Heart disease, ischemic, 717–718
underlying, in elderly persons, ventricular arrhythmias and, 629–631
in younger and middle-aged persons, ventricular arrhythmias and, 629
valvular, sudden cardiac death and, 289
Hematoma, subdural, 239

Hematuria, definition of, 145
traumatic, and evaluation of patient with blunt trauma, 147–154
detection of, 145–146
gross, 151–153
history and physical examination in, 146–147
in hemodynamically stable patient, 154
in hemodynamically unstable patient, 156
in pediatric blunt trauma, 153–154
in penetrating trauma, evaluating for, 154–156
in rapid deceleration injuries, 153
microscopic, with pelvic fracture, 150–151
with shock, 149–150
without shock, 148–149
workup and management of, **145–164**
Hemodynamic compromise, in trauma patient, airway management in, 50
Hemorrhage, post-traumatic, 1–2
retrobulbar, acute, 841–842
Hemothorax, residual, treatment of, 121–122
traumatic, in children, 248
Heparin, in acute myocardial infarction, 556, 568
Hip, transient synovitis of, 922–923
Hirudin, in acute myocardial infarction, 556–557, 568
Hypertension, benign intracranial, 755–756
in head injury, management of, 74–75
Hypotension, postural, causes of, 604
Hypothermia, in multiply injured patient, 38–39
Hypothyroidism, bradycardia and, 370
Hypovolemia, syncope in, 604

Ibutilide, for cardioversion in atrial fibrillation, 395–396
Idioventricular rhythm, accelerated, 356, 585
Immune system, 761–762
Immunity, cell-mediated defects in, 771–774
causes of, 772–773
diagnosis of, 771–772
Immunocompromised patient(s), fever in, **761–779**
in emergency department, 767–776
Immunodeficiency, causes of, 769
Immunosuppression, from underlying process, 774–776
Infant, crying. See *Crying infant.*
Infection, and occult immunocompromise, without fever, 776
implantable cardioverter defibrillators and, 483
in asplenic patients, 774
in transplant patients, 772–773
of central nervous system, in cell-mediated immunity, 773
Infectious disease, as cause of bradyarrhythmias, 369–370
Inflammatory bowel disease, 726
Inflammatory disorders, cardiac, sudden cardiac death and, 289
of heart, **665–681**
Interventional invasive therapy, in ventricular arrhythmias, 639–643
Intracranial neoplasms, 752–754
Intravenous resuscitation, current recommendations for use of, 8–9
Intraventricular block, 595–596
Intubation, digital, in management of difficult airway, 57–58
fiberoptic, in management of difficult airway, 55
in penetrating neck trauma, 97–98
retrograde, in management of difficult airway, 53
Isoproterenol, in bradyarrhythmias, 377–378

Junctional bradycardia, 591
Junctional rhythm, accelerated, 590
Junctional tachycardia, nonparoxysmal, 590
Juvenile rheumatoid arthritis, 923

Kidneys, injuries to, hematuria in, 154–155
management of, 157–159, 160
Knee disorders, gait in, 912

Laboratory tests, in multiply injured patient, 37–38
in myocarditis, 672
in pericarditis, 668
Laparoscopy, in blunt trauma of abdomen, 167
in multiple trauma patient, 34–35
in thoracoabdominal trauma, 122–125
Laparotomy, following trauma in pregnancy, 218–219
Laryngeal mask airway, in management of difficult airway, 57
Laryngoscope, Bullard, in management of difficult airway, 53–55
Left ventricular hypertrophy, idiopathic, sudden cardiac death and, 285

Legg-Calve-Perthes disease, 924–926
Lenegre's disease, 362
Lev's disease, 362–363
Lidocaine, in acute myocardial infarction, 558
Lighted stylet, in management of difficult airway, 53
Limb pain, in child abuse, 928
in sickle cell disease, 927–928
Limping, causes of, 912
Limping child, **911–929**
conditions to be considered in, 920–928
diagnoses causing, age and, 912–913
diagnostic tests for, 916–919
differential diagnosis of, 915–916
disposition of, 919–920
emergency department evaluation of, 917–919
evaluation of motor development and gait patterns of, 911–912
history taking in, 912–913
laboratory tests for, 917–918
physical examination of, 913–915
radiographic studies for, 918–919
Lithium, toxicity of, 414
Lyme disease, cardiac manifestations of, 369–370
Lymphocytes, 762
Lymphokines, 762

Magnesium, in acute myocardial infarction, 557–558, 567–568
in polymorphic ventricular tachycardia, 407
Magnetic resonance imaging, and implantable cardioverter defibrillators, 484
Marfan's syndrome, sudden cardiac death and, 290
Maxillofacial reflex, 368
Meatus, blood at, in blunt trauma, 147–148, 149
Mechanical ventilation, in children, 251
Medications, as cause of bradyarrhythmias, 366–367
response to, and QRS tachycardias, 323–325, 326
Mediterranean fever, familial, 888–889
Medullary syndrome, lateral, 818
Meniere's disease, in children, 866
Meningitis, vertigo following, 867
Mental status exam, for elderly patient with altered mental status, 702
Metabolic problems, cardiac manifestations of, 370–371
Migraine headaches, abdominal, 887
basilar artery, 867
Mobitz type I atrioventricular block, 592
Mobitz type II atrioventricular block, 592–593
Morphine sulfate, in acute myocardial infarction, 567
Motor development, and abnormal gait patterns, 911–912
Multiple trauma patient, hypothermia in, 38–39
initial assessment of, 30–33
laboratory tests and x-rays in, 37–38
orthopedic injuries in, 36–37
priorities in, **29–43**
therapeutic procedures in, 37
thoracoabdominal trauma in, 33–35
trauma to head in, evaluation of, 35
Musculoskeletal injury, in geriatric patient, in emergency department, 267–268
Myocardial infarction, acute, adjunctive devices for percutaneous coronary intervention in, 573
adjunctive pharmacologic therapy in, 554–555, 567–568
and thrombolysis, arrhythmias associated with, **583–600**
biochemical markers for diagnosis of, 520
cardiogenic shock in, 573–575
conduction disturbances in, pacing in, 594
coronary artery angioplasty in, 553
creatine kinase, CK-MB isoenzymes, and CK-MB isoforms in, 522–526
definition of, 519
direct angioplasty in, 570–573, 575–576
early laboratory indicators of, **519–539**
emergency management of, 544–545, 546–547
pharmacologic therapy in, **541–563**, 567–568
high-risk subgroups for, 558
ideal cardiac marker for, characteristics of, 520–522
incidence of, 565
initial evaluation in, 542–544
integration of markers in diagnostic protocols for, 532–535
mortality associated with, 541
pericarditis related to, 669
progression to complete heart block, 365
rapid identification of patients with, 542
rescue percutaneous transluminal coronary angioplasty in, 569–570
temporary and permanent pacing in, indications for, 596
thrombolysis in, 545, 565–566
agents for, 549–553

Myocardial infarction *(Continued)*
patient selection for, 545–549
troponins as markers of, 527–530
Myocarditis, 727–729
causes of, 670
clinical manifestations of, 671
diagnostic evaluation of, 671–672
drug-related, 671
in Lyme disease, 671
pathophysiology of, 670–671
peripartum, 671
treatment of, 669–670, 672
viral infections associated with, 369
Myocardium, reperfusion of, acute interventions for, **565–581**
Myoglobin, as serum marker for diagnosis of myocardial infarction, 530–532

Nafcillin, in endocarditis, 676, 678
Neck, anterior, trauma to, airway management in, 49
penetrating trauma to, **85–105**
angiography vs. color flow Doppler imaging in, 100–101
assessment of weapon characteristics in, 90–91
clinical examination in, protocol in, 98–99
evaluation of, 88–95
gunshot wounds vs. stab wounds in, 101–102
management of, 96–99
controversies in, 100–102
mandatory exploration vs. selective conservatism in, 100
physical examination in, 91–95
prehospital care in, 88–90
transcervical gunshot wounds in, 102
Neoplasms, cardiac, 725
causing limp in children, 926–927
intracranial, 752–754
Nerves, peripheral, and dermatomes, sensory distribution of, 814, 816–817
Nervous system, injuries to, in penetrating neck trauma, 95
Neurologic disorders, syncope associated with, 623
Neurologic examination, in multiple trauma patient, 32
in penetrating vascular trauma, 135
Neuronitis, vestibular, in children, 865
Neurosurgical consultation, in head injury, indications for, 76
Neurotransmitters, excitatory, 65
Nitroglycerin, in acute myocardial infarction, 555, 567
Nonparoxysmal junctional tachycardia, 301–302
Normotension, stable, in head injury, management of, 73–74
unstable, in head injury, management of, 74
Nylen-Barany (Hallpike-Dix) maneuver, 853, 863
Nystagmus, dizziness and, 851–852
head-shaking, 854

Ocular media, disorders of, 830–832
Oculocardiac reflex, 368
Oculosympathetic paresis, 748
On-scene time, impact of, on trauma patients, 10–11
Optic chiasm, disorders of, 835
Optic nerve, disorders of, 834–835
Optic tract, disorders of, 835
Orthopedic injuries, in multiple trauma patient, 36–37
Osteoid osteoma, 927
Osteomyelitis, 921–922
Osteosarcoma, in children, 926–927
Oxygen, in acute myocardial infarction, 555

Pacemaker(s), crosstalk and, 444
dual-chamber, 430–432
complications of, 443–445
failure to capture by, 451–453
failure to pace by, 451, 452
far-field sensing by, 445
implantation techniques, 432–433
leads, 421–423
magnet application in, 435, 436
oversensing by, 449–451
pectoral muscle stimulation and, 446
permanent, clinical approach to patient with, 453–458
complications of, 436, 437, 438
ancillary evaluation in, 455–456
disposition in, 457–458
treatment of, 456–457
history taking in, 454
lead complications associated with, 438–441
pacemaker pocket and, 441–442
physical examination in, 455
venous access and, 437
problems of, troubleshooting of, 446–453
programming of, 436
pulse generator, 420–421, 442–443
rate responsive, 429
scheduled evaluation of, 433–436
selection of, 431–432
single-chamber, 427–429, 430

complications of, 443, 445
transtelephonic monitoring of, 433, 434, 435
undersensing by, 447–449
unipolar lead complications and, 445, 446
unknown, identification of, 446–447
Pacemaker code, 425–427
Pacemaker syndrome, 443
Pacemaker technology, 420–423
Pacing, in acute myocardial infarction, indications for, 596
Pacing threshold, 383
Pain. See specific types and sites.
Paroxysmal supraventricular tachycardia, 588–589
Patient(s), difficult, 689–692
contributions to "difficulty" of, 690–691
environment of emergency department and, 691–692
establishing trust with, 698
general approach to, **689–700**
healthy distance, caring, and communicating with, 696–697
physician and, 695–696, 698–699
route to solution with, 696–699
elderly. See *Elderly patient(s)*.
Pelvis, fracture(s) of, in multiply injured patient, 36–37
microscopic traumatic hematuria with, 150–151
Penetrating projectiles, apertures made by, recording of, 26
resuscitation and treatment of victim of, 25
Penetrating trauma, to chest, transthoracic echocardiography in, 198–200
ultrasonography in, 181–183
Penicillin, broad-spectrum, attaining blood level of, in gunshot wounds, 24–25
Percutaneous transluminal coronary angioplasty, rescue, in acute myocardial infarction, 569–570
Perfusion, in head injury, 68–70, 72
Pericardial effusion, echocardiographic features of, 194–195
in chest trauma, echocardiography to detect, 191–193
Pericardial tamponade, in multiple trauma patient, 31
Pericardiocenetesis, therapeutic, transthoracic echocardiography in, 200–201
Pericarditis, 665–669
acute, 722–724
acute myocardial infarction-related, 669
bacterial, 666, 669
clinical evaluation in, 667
constrictive, 666–667, 669
diagnostic evaluation in, 667–668
etiology of, 666
iatrogenic, 726
pain management in, 669
pathophysiology of, 666–667
postmyocardial, 724–725
purulent, 726–727
radiation-induced, 726
treatment of, 668–669
Pericardium, 666
Perilymphatic fistula, 866
Peritoneal lavage, diagnostic, in blunt trauma of abdomen, 166
Pharmacologic therapy, in emergency management of acute myocardial infarction, **541–563**, 567–568
in ventricular arrhythmias, 633–638
Physician, difficult patient and, 695–696, 698–699
emergency, role of, in sudden cardiac death in athlete, 291–292
Placental abruptio, following trauma in pregnancy, 218
Plasminogen activator, tissue, in acute myocardial infarction, 550–551
Pneumatic anti-shock garment, clinical studies of, meta-analysis of, 3–4
negative effect of, explanations for, 4–5
current recommendations for use of, 8–9
rationale for, 2
reevaluation of, 3
Pneumomediastinum, 731
Pneumopericardium, 727
Pneumothorax, in multiple trauma patient, 31
open, in children, 248–249
tension, in children, 249
traumatic, in children, 247–248
Polymorphic ventricular tachycardia, 396, 407
Polyneuropathy, 819
Porphyria, acute intermittent, 887–888
Post-traumatic hemorrhage, 1–2
Postcardiac injury syndrome, 725
Postural hypotension, causes of, 604
Pregnancy, ionizing radiation in, 216–217
physiologic changes of, 213–214
trauma in, **209–228**
disposition possibilities following, 225–226
domestic violence as, 226–227
epidemiology of, 211
fetal evaluation and monitoring in, 219–222
fetal mortality associated with, 211–212
gestational stratification in, 212–213

Pregnancy *(Continued)*
initial assessment in, 215–216
laparotomy following, 218–219
maternal-fetal circulation considerations in, 217–218
multidisciplinary approach to, 209–211
perimortem cesarean section following, 223–225
prehospital care considerations in, 214–215
preterm labor following, 222
prevention of, 226
rupture of membranes secondary to, 218
Prehospital care, following major trauma, **1–15**
Premature atrial contractions, 588
Premature ventricular contractions, 584–585, 628
Procainamide, in ventricular arrhythmias, 634
Prolonged OT syndrome, congenital, syncope associated with, 622–623
Prosthetic valve endocarditis, 673
Pseudodementia, 706–707
Psychiatric conditions, in elderly patient with altered mental status, 710
Psychological disorders, syncope associated with, 624
Pulmonary contusion, traumatic, in children, 249
Pulmonary embolism, 719–722
Pupils, examination of, 828

QRS alternans, 317–320
QRS complex, narrow, tachycardias associated with. See *Tachycardia(s), narrow QRS complex.*
wide, tachycardias associated with. See *Tachycardia(s), wide QRS complex.*
Quinidine, in ventricular arrhythmias, 634

Radiation, ionizing, in pregnancy, 216–217
Radiation-induced pericarditis, 726
Radiography, chest, in pericarditis, 668
Referred pain, 879–880
Reperfusion arrhythmias, 597
Respiratory disorders, syncope associated with, 624
Respiratory tract, injuries to, in penetrating neck trauma, 91–94
Resuscitation, emergency, in head injury, 67–68
Reteplace, in acute myocardial infarction, 551–553, 566
Retina, detachment of, 838–839
disorders of, 832–834, 835
Retrobulbar hemorrhage, acute, 841–842
Rheumatoid arthritis, 726
juvenile, 923
Rheumatologic problems, cardiac manifestations of, 370
Right ventricular hypertrophy, idiopathic, sudden cardiac death and, 285
Rinne test, 852–853
Risk stratification, with echocardiography, in chest pain, 511–513

Sacral sparing, 819
Screening examinations, sudden cardiac death and, 290–291
Scrotal pain, acute, **781–809**
approach to, 781–797
common causes of, 797–805
differential diagnosis of, 791
disposition in, 795–797
laboratory evaluation in, 791–792
physical examination in, 785–791
radiologic perfusion evaluation in, 792–794
Secondary survey, in multiple trauma patient, 33
Sensation, conscious, anatomy and physiology of, 814–820
Sensory loss or alteration, new-onset, **811–824**
cases illustrating, 820–823
history taking in, 812
physical examination in, 812–814
Septic arthritis, 920–921, 924
Sestamibi, technetiuim–99m-labeled, emergency department testing with, 509–511
Shock, cardiogenic, in acute myocardial infarction, 573–575
in head injury, management of, 73
Sick sinus syndrome, 362
syncope associated with, 622
Sickle cell disease, limb pain in, 927–928
Sinus bradycardia, 372, 590–591
Sinus node reentrant tachycardia, 299
Sinus tachycardia(s), 298, 588
inappropriate, 298
Skin, injury to, in geriatric patient, in emergency department, 268–269
Slipped capital femoral epiphysis, 923–924, 925
Social factors, as challenges in emergency department, 694–695
Sodium channel blockade, agents causing, 405–406
in ventricular arrhythmias, 405–406

Soft tissue injury, in geriatric patient, in Emergency Department, 268–269
Somatic pain, 879
Spinal cord, principal tracts of, 818
Spinal cord hemisection syndrome, 815–818
Spine, cervical. See *Cervical spine.*
injury to, in geriatric patient, in emergency department, 267
ST segment and T wave, changes of, 321
Stab wounds, penetrating trauma to neck in, 101–102
Stocking-and-glove numbness, 819–820
Streptokinase, in acute myocardial infarction, 550, 566
Sudden cardiac death, 627, 649
causes of, 283–290
in athlete, **281–294**
prevention of, 292
role of emergency physician in, 291–292
in mature athlete, 282–283
in young athlete, 282
pathophysiology of, 283
Superior vena cava syndrome, 730–731
Supraventricular tachyarrhythmias, 588–590
Supraventricular tachycardia, clinical findings in, 311
electrocardiographic characteristics of, 312
paroxysmal, 588–589
Symphathetic dystrophy, 445
Syncope, cardiac-related, in children, 620–623
definition of, 601
diagnosis of, algorithm for, 611
diagnostic tests in, 608–609
disposition in, 610–612
drugs causing, 606, 623–624
echocardiography in, 609
electrocardiogram in, 609
etiology of, 602, 603
evaluation of, in emergency department, **601–615**
exercise testing in, 610
history taking in, 605–607
hospital admission in, indications for, 612, 613
in children, **617–626**
causes of, 620–624
diagnostic evaluation in, 619–620
history taking in, 617–618
physical examination in, 618–619
treatment of, 624–625
pathophysiology of, 602–605
physical examination in, 607–608
treatment of, 610
Synovitis, transient, of hip, 922–923
Syringomyelia, 815

Tachy-brady syndrome, 362
Tachyarrhythmias, supraventricular, 588–590
Tachycardia(s), atrial, 299, 300
aberrant conduction during, 320–321, 322
and atrioventricular block, 317
multifocal, 299–301
atrioventricular nodal reentrant, 302–303
atrioventricular reciprocating, 303–309, 310
narrow QRS complex, classification of, 296–297
clinical approach to, 309–326
clinical differentiation of, **295–330**
electrocardiographic features of, 311, 312
history and physical examination in, 309–311
P wave location, morphology and axis of, 311–321, 322, 323, 324
nonparoxysmal junctional, 301–302
pacemaker-mediated, 430, 443–444
polymorphic ventricular, 356–358, 396, 407
QRS, response to medications and, 323–325, 326
sinus, 298, 588
inappropriate, 298
sinus node reentrant, 299
supraventricular, clinical findings in, 311
electrocardiographic characteristics of, 312
supraventricular paroxysmal, 588–589
ventricular, nonsustained, 585–586
sustained, 586–587
wide QRS complex, clinical approach to, **331–360**
clinical assessment in, 336–349, 350, 352–356
diagnosis of, pharmacologic aids for, 349, 354
electrocardiographic assessment of, 340–349, 350, 352–353
etiology of, 331–336
history of, 336–337
physical examination in, 337–339
roentgenographic assessment in, 339
treatment of, 350–356
Technetium-99m-labeled sestamibi, emergency department testing with, 509–511
Temporal arteritis, 754–755, 840–841
Testicular appendage, torsion of, 801
Testicular torsion, 797–800

Testicular torsion *(Continued)*
clinical findings in, 799–800
pathophysiology of, 798–799
treatment of, 800
Therapeutic procedures, in multiply injured patient, 37
Thoracic trauma, echocardiography in, **191–207**
penetrating, abdominal injuries associated with, 108–110
Thoracoabdominal region, anatomy of, 107–108
trauma to, history of, 108
indications for abdominal exploration in, 110–113
indications for thoracotomy in, 113–118
injuries to diaphragm in, 118–120
minimally invasive techniques in, 120–125
penetrating, **107–128**
Thoracoabdominal trauma, stabilization of, in multiple trauma patient, 33–34
Thoracoscopy, video-assisted, in thoracoabdominal trauma, 120–121
Thoracotomy, indications for, in thoracoabdominal trauma, 113–118
Thrombolysis, and acute myocardial infarction, arrhythmias associated with, **583–600**
in acute myocardial infarction, 545, 565–566
Thrombolytic agents, 549–553
compared, 550
mortality trials of, 545, 548
Tissue plasminogen activator, in acute myocardial infarction, 550–551
Torsades de pointes, 407
induced by ibutilide, 396
Toxic disorders, syncope associated with, 623–624
Transesophageal echocardiography, 201–204
Transient synovitis of hip, 922–923
Transplant patients, infection in, 772–773
Transthoracic echocardiography, 194–201
indications for, 196–201
Trauma. See also specific types of trauma.
contemporary issues in, **1–274**
major, prehospital care of patient following, **1–15**
pediatric, major, evaluation and management of, **229–256**
Trauma patient, airway management in hemodynamic compromise in, 50
difficult airway in, management of, **45–61**
multiple trauma. See *Multiple trauma patient.*
Trauma team, leadership of, 29–30
Trifascicular block, 595
Troponin I, cardiac (cTnI), 527–529
Troponin T, cardiac (cTnT), 529
Twiddler syndrome, 442–443
Two-dimensional echocardiography, 192, 193

Ultrasonography, bedside, in trauma care, **165–189**
during FAST examination, 170–183
in blunt trauma of abdomen, 167–168
in multiple trauma patient, 34–35
in penetrating trauma, 181–183
physical principles of, 168–170
to scan for trauma, 168–170
training required to perform, 183–185
trauma, future issues in, 184–185
Uremia, 725
immunosuppression in, 775
Ureters, injuries to, hematuria in, 155
management of, 159, 161
Urethra, injuries to, hematuria in, 156
management of, 161–162

Vagal maneuvers, response to, in arrhythmias, 321–323
Vancomycin, in endocarditis, 676–678
Vascular trauma, in penetrating neck trauma, 91, 93, 94
penetrating, and injured extremity, diagnosis and management of, **129–144**
diagnosis of, 130–134
management of, 134–142
mechanism of injury in, 129–130
mortality associated with, 142
Vasodepressor events, as cause of syncope in children, 620–621
Vasoregulatory dysfunction, syncope in, 604
Vasovagal events, as cause of syncope in children, 620–621
Vein, central retinal, occlusion of, 838
Vena cava syndrome, superior, 730–731
Venous thrombosis, cerebral, 746–748
Ventricle(s), left, function of, and ventricular arrhythmias, 631–632
hypertrophy of, and ventricular arrhythmias, 632
Ventricular arrhythmias. See *Arrhythmia(s), ventricular.*
Ventricular contractions, premature, 628
Ventricular fibrillation, 587
Ventricular hypertrophy, left, idiopathic, sudden cardiac death and, 285

right, idiopathic, sudden cardiac death and, 285
Ventricular pacing, transcutaneous, in bradyarrhythmias, 379–381
transvenous, in bradyarrhythmias, 381–383
Ventricular tachycardia, nonsustained, 585–586
polymorphic, 356–358, 396, 407
sustained, 586–587
Vertebral artery dissection, 748–749
Vertigo, benign paroxysmal, of children, 865
central, examples of, 856
versus peripheral, 856
central causes of, 866–868
nonvestibular (nonvertiginous), 857
peripheral, causes of, 864–866
examples of, 856
Vestibulo-ocular reflex, 853–854
Viral encephalitis, acute, 749–751
Visceral pain, 878–879
Vision, acuity of, assessment of, 827–828
loss of, critical entities causing, 836–842
Visual change, acute, **825–843**
differential diagnosis of, development of, 830–836
examination of visual system in, 826–830
history taking in, 825–826
Visual field, testing of, 830

Wallenberg's syndrome, 818
Weapon, characteristics of, assessment of, in penetrating trauma to neck, 90–91
Weber test, 852
Wenckebach atrioventricular block, 592
Wolff-Parkinson-White syndrome, 303–309, 310
atrial fibrillation in, 321
syncope associated with, 622
Wound ballistics, 17
Wounds, gunshot. See *Gunshot wounds.*

X-rays, in multiply injured patient, 37–38